



CONTINUOUS AIR MICROBIAL MONITORING



AIRBIO TRIO CM



AIRBIO DUO CM



AIRBIO ONE CM



TRIO.BAS RABS ISOLATOR CM + 1
SATELLITE CM



TRIO.BAS RABS ISOLATOR CM + 3
SATELLITES CM



TRIO.BAS RABS ISOLATOR CM + 2
SATELLITES CM



AIRBIO ONE CM

IDENTIFICATION CODES

Code	AIRBIO ONE for CONTINUOUS MONITORING
853K	AIRBIO ONE CM 25 l/m PETRI with cable PACK (25 litres/min flow rate) (*)

(*) each PACK consists of: 1 air sampler with Bluetooth and battery charger, 1 calibration certificate, 1 s/s aspirating head (code 830) with s/s cover head (code 465), 1 cable for transfer data and 1 robustus carrying case.

AIRBIO DUO CM

IDENTIFICATION CODES

Code	AIRBIO DUO for CONTINUOUS MONITORING
854K	AIRBIO DUO CM 25 l/m PETRI with cable PACK (25 litres/min flow rate) (*)

(*) each PACK consists of: 1 air sampler with Bluetooth and battery charger, 1 calibration certificate, 2 s/s aspirating head (code 830) with s/s cover head (code 465), 1 cable for transfer data and 1 robustus carrying case.



AIRBIO TRIO CM

IDENTIFICATION CODES

Code	AIRBIO TRIO for CONTINUOUS MONITORING
855K	AIRBIO TRIO CM 25 l/m PETRI with cable PACK (25 litres/min flow rate) (*)

(*) each PACK consists of: 1 air sampler with Bluetooth and battery charger, 1 calibration certificate, 3 s/s aspirating head (code 830) with s/s cover head (code 465), 1 cable for transfer data and 1 robustus carrying case.



TRIO.BAS RABS ISOLATOR CM AND SATELLITE CM

IDENTIFICATION CODES

Code	RABS ISOLATOR for CONTINUOUS MONITORING
850K	TRIO.BAS RABS ISOLATOR CM 25 l/m PETRI with 1 SATELLITE PACK (25 litres/min flow rate) (*)

(*) each PACK consists of: 1 TRIO.BAS RABS ISOLATOR with battery charger, 1 calibration certificate, 1 s/s satellite, 1 s/s aspirating head (code 830) with s/s cover head (code 465), 1 cable connection (5 mt) (code 265), 1 cable for data transfer and 1 robustus medium carrying case.

Code	SATELLITE UNIT for CONTINUOUS MONITORING
851K	CONTINUOUS SATELLITE UNIT Petri PACK

Code	EACH PACK CONSIST OF:
830	S/S ASPI HEAD PETRI CM
465	COVER HEAD s/s to protect ASPI HEAD
265	Cable connection between the Satellite and the command unit - 1 set of 5 meters



**TRIO.BAS RABS ISOLATOR CM + 1
SATELLITE CM**



**TRIO.BAS RABS ISOLATOR + 2
SATELLITES CM**



**TRIO.BAS RABS ISOLATOR CM + 3
SATELLITES CM**

REMOTE SYSTEM



REMOTE FUNNEL

IDENTIFICATION CODES

Code	REMOTE FUNNEL SYSTEM
181	REMOTE FUNNEL SYSTEM in s/s AISI316 with tri clamps connection, funnel and bell - carrying case included



REMOTE HEAD

IDENTIFICATION CODES

Code	REMOTE HEAD SYSTEM
192	REMOTE HEAD SYSTEM Petri 90 plate in s/s AISI316 with tri clamps connection - carrying case included

Code	ACCESSORIES for REMOTE SYSTEM
140	s/s valve for REMOTE SYSTEM with 2 TRI clamps connection
184	silicone tube with 2 TRI clamps connection - 50 cm lenght
185	silicone tube with 2 TRI clamps connection - 100 cm lenght
186	silicone gasket for TRI clamp
187	s/s cap clamps
188	s/s 90° elbow short tube with 2 TRI clamps connection - wheelbase 40 mm
193	s/s tri clamps with silicone gasket
194	s/s tube with 2 TRI clamps connection - 100 mm lenght

Code	ACCESSORIES for REMOTE SYSTEM
194/1	s/s tube with 2 TRI clamps connection - 200 mm lenght
194/2	s/s tube with 2 TRI clamps connection - 500 mm lenght
195	s/s 90° elbow long tube with 2 TRI clamps connection - wheelbase 89 mm
197	s/s hexagonal pipe hook with inserts - 100 mm
189	s/s wall connection with 2 TRI clamps connection (wall < 5mm)
198	s/s wall connection with 2 TRI clamps connection - size 80 mm lenght (wall > 5mm)
199	s/s floor pole - base diameter 250 mm - lenght 1 mt